

Media

Scale-1

Passive, point source in line source enclosure, 4" woofer / 0.75" tweeter / Fohhn Sub Extension, 50 W, 104 dB SPL max.













The Scale-1 from the media series is a compact, passive and universally usable loudspeaker system with woofer, tweeter and Fohhn Sub Extension. It offers broadband playback with powerful bass, even without an additional subwoofer. Designed as a point source in an elegant line source speaker enclosure, the Scale-1 is easily integrable visually.

The Another special feature of our Scale systems: If required, we can customise the enclosure length to meet your needs – for example to fit the height of a screen or recessed space.

The speakers are driven by our required system amplifier MA-4.100 only. Thanks to integrated speaker presets, this ensures operational safety and the desired performance.

Main features

- 4" long excursion driver / 0.75" dome tweeter / Fohhn sub extension
- Power rating (nominal): 50 W
- Maximum SPL: 104 dB
- Frequency range: 44 Hz 20 kHz
- Nominal dispersion (h x v): 140° × 90°
- Default dimensions (w × h × d): 133 × 355 × 128 mm
- Special colours available (RAL Classic, NCS, Pantone, Fohhn Texture Design)
- Flexible mounting thanks to continuous T-slot at rear
- 2 slot nuts included in scope of delivery
- Attention: The loudspeaker can be operated with Fohnn system amplifiers and the correct speaker preset only.

Available with the following color options



Black



White

Equipped with the following Fohhn technologies



Fohhn Texture Design



Special colors



Weatherresistance possible



Scalable enclosure

Technical data

Electroacoustic features

acoustic design	compact 2-way speaker with extended lowend	
power rating (nominal)	50 watts	
power rating (program)	100 watts	
power rating (peak)	200 watts	
components	4" woofer / 0.75" dome tweeter / Fohhn Sub Extension	
maximum SPL	104 dB	
nominal dispersion (h × v)	140° × 90°	
frequency range	44 Hz – 20 kHz	
nominal impedance	4 ohms	

Physical features

enclosure	aluminum	
front design	metal grille in enclosure colour	
protection grille	steel grille, ball impact resistant, powder-coated	
weight	2.8 kg	
standard colours	black or white powder-coated	
mounting points	continuous T-slot at rear	
connectors	2 × 2-pin phoenix terminal	
dimensions (w × h × d)	133 × 355 (up tp 1413) × 128 mm	

Optional features

optional colours	RAL Classic / NCS / Pantone on request, Fohhn Texture Design	
opiioriai coloars	NAL Classic / NCS / Lamone on Lequesi, Lonnin Texture Design	

CAAD simulation data

simulation data	Fohhn Designer		
simulation data	rollilli Designer		

power rating (nominal/program): according to IEC-60268-5 (long term/short term)

power rating (peak); maximum SPL: peak, 20 ms with bandpass filtered pink noise signal according to IEC 60268-2 at one octave above the lower limit of the frequency range, with speaker preset

frequency range: -10 dB under anechoic halfspace-conditions with speaker preset

weight: net weight without optional equipment

nominal dispersion: –6 dB compared to the main dispersion axis $\,$

Fohhn Audio AG Großer Forst 15 72622 Nuertingen Germany Phone +49 7022 93323-0 Fax +49 7022 93324-0 www.fohhn.com info@fohhn.com

