



**DM6**  
**SEISMIC**  
KICK DRUM MICROPHONE

EARTHWORKS AUDIO

**PRODUCT  
INFORMATION**

**Product Full Name:** Earthworks Audio DM6 SeisMic Kick Drum Microphone

**Product Short Name:** DM6

**Product ID/ SKU:** DM6

**Short Description:** Supercardioid Condenser Low-Frequency Microphone for Bass Drum, Floor Toms, and Bass Amps.





## THE NEW INDUSTRY STANDARD

The DM6 is absolutely unfair to all other mics on kick drum and bass amps.

*"This is the best single kick drum mic sound I've heard."* — Kevin Madigan, Front of House Engineer for Santana and Mix Engineer for Larrabee Studios

**This is why you hear Earthworks drum mics whenever you watch a Drumeo tutorial Video.**

**This is why you see Earthworks drum mics on every drum streaming channel.**

**This is why it was an all Earthworks stage at the 400th anniversary party for Zildjian.**

**And why we're the fastest growing drum brand out with every A-List Engineer and Top Tour.**

*"Open, detailed and lovingly accepting of any creative eq you apply."* — Josh Holliday, Director of Production for Drumeo

PERFECT OUT OF THE BOX. SCULPT THE SOUND YOU WANT.

The DM6 sounds perfect right out of the box for those situations when you don't have enough time for a proper soundcheck or for when you have volunteers on the boards at church or at the small venues. But it's versatile and powerful enough to take whatever creative EQ that you want to apply for flavor.

*"The dynamics and great transient of DM6 are spectacular. It sounds very good, the size is very practical and has a powerful sound."* — German Tarazona, Front of House Engineer for Maluma


*"We tested the DM6 against 6 other industry standard mics and the DM6 easily outperformed them all with class."* — Casey Cooper, Content Creator for COOP3RDRUMM3R

EARTHWORKS AUDIO


## SPECIFICATIONS

DM6			
<b>Frequency Response</b>	20Hz - 20kHz	<b>Included Accessories</b>	M2-R Ball Mount, Windscreen
<b>Polar Pattern</b>	Supercardioid	<b>Dimensions L x D</b>	4.97" x 1.93" (Includes windscreen, does not include width of M2-R)
<b>Sensitivity</b>	-60 dBV/Pa (1mV/Pa)	<b>Color</b>	Stainless Steel with Black Windscreen
<b>Power Requirements</b>	48V Phantom, 6.5mA	<b>Weight</b>	1.25 lbs (0.58 kg)
<b>Minimum Load Impedance</b>	1kOhm	<b>Manufacturer Part Number</b>	DM6

## POLAR PATTERN



## FREQUENCY RESPONSE





37 Wilton Rd. Milford, NH 03055  
(603) 654-2433  
info@earthworksaudio.com  
earthworksaudio.com

© 2023 Earthworks, Inc

**EARTHWORKS AUDIO**